

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Issue date: 28/04/2022 Revision date: 28/04/2022 Supersedes version of: 30/11/2020

Version: 11.0

## SECTION 1 Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form Mixture

Trade name CFS-IS / CP 611A
Product code BU Fire Protection

Type of product Sealants



Product group Trade product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category Professional use

Industrial/Professional use spec For professional use only
Use of the substance/mixture Firestop intumescent sealant

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

## Supplier

Hilti (Gt. Britain) Ltd.

1 Circle Square 3 Symphony Park

M1 7FS Manchester - Great Britain

T +44 161 886 1000

0800 886 100 Toll-free - F +44 161 872 1240

gbsales@hilti.com

#### Department issuing data specification sheet

Hilti AG

Feldkircherstraße 100 9494 Schaan - Liechtenstein

T +423 234 2111

chemicals.hse@hilti.com

#### 1.4. Emergency telephone number

Emergency number Schweizerisches Toxikologisches Informationszentrum – 24h Service

+41 44 251 51 51 (international)

+44 161 886 1000 0800 886 100 Toll-free

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	NHS Direct (England and Wales)		111	
	NHS 24 (Scotland)			

## **SECTION 2 Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin sensitisation, Category 1 H317
Reproductive toxicity, Category 2 H361
Hazardous to the aquatic environment – Chronic Hazard, Category 3 H412

Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

No additional information available



## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07



GHS08

Signal word (CLP) Warning

Contains polypropylene glycol alkyl phenyl ether, 2-octyl-2H-isothiazol-3-one, Zinc borate, 1,2-

Benzisothiazol-3(2H)-on, Mixture of 5-chloro-2-methylisothiazol-3(2H)-one and 2-

methylisothiazol-3(2H)-one

Hazard statements (CLP) H317 - May cause an allergic skin reaction.

 $\ensuremath{\mathsf{H361}}$  - Suspected of damaging the unborn child..

H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) P280 - Wear protective gloves, eye protection, protective clothing.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P308+P313 - IF exposed or concerned: Get medical advice/attention.

UFI JMHX-0X17-F22F-D68P

#### 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Component			
Zinc borate (138265-88-0)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII		
polypropylene glycol alkyl phenyl ether (9064-13-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII		
1,2-Benzisothiazol-3(2H)-on (2634-33-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII		
pyrithione zinc (13463-41-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII		
2-octyl-2H-isothiazol-3-one (26530-20-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII		
Mixture of 5-chloro-2-methylisothiazol-3(2H)-one and 2-methylisothiazol-3(2H)-one (55965-84-9)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII		

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

Component		
Zinc borate(138265-88-0)	The substance is not included in the list established in accordance with Article 59(1) of	
	REACH for having endocrine disrupting properties, or is not identified as having	
	endocrine disrupting properties in accordance with the criteria set out in Commission	
	Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605	



## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Component			
polypropylene glycol alkyl phenyl ether(9064-13-5)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605		
1,2-Benzisothiazol-3(2H)-on(2634-33-5)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605		
pyrithione zinc(13463-41-7)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605		
2-octyl-2H-isothiazol-3-one(26530-20-1)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605		
Mixture of 5-chloro-2-methylisothiazol-3(2H)-one and 2-methylisothiazol-3(2H)-one (55965-84-9)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605		

## **SECTION 3 Composition/information on ingredients**

## 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Zinc borate	CAS-No. 138265-88-0	5 – 10	Repr. 2, H361d
	EC-No. 235-804-2		Aquatic Acute 1, H400
			Aquatic Chronic 2, H411
polypropylene glycol alkyl phenyl ether	CAS-No. 9064-13-5	2.5 – 5	Skin Sens. 1B, H317
	EC-No. 618-605-9		
1,2-Benzisothiazol-3(2H)-on	CAS-No. 2634-33-5	0.01 - 0.1	Acute Tox. 4 (Oral), H302 (ATE=490
	EC-No. 220-120-9		mg/kg bodyweight)
	EC Index-No. 613-088-00-6		Skin Irrit. 2, H315
	REACH-no 01-2120761540-		Eye Dam. 1, H318
	60		Skin Sens. 1, H317
			Aquatic Acute 1, H400
			Aquatic Chronic 2, H411
pyrithione zinc	CAS-No. 13463-41-7	0.001 - 0.01	Acute Tox. 3 (Oral), H301 (ATE=177
	EC-No. 236-671-3		mg/kg bodyweight)
	EC Index-No. 613-333-00-7		Acute Tox. 2 (Inhalation), H330 (ATE=1
	REACH-no 01-2119511196-		mg/l/4h)
	46		Acute Tox. 3 (Inhalation:dust,mist), H331
			(ATE=1 mg/l/4h)
			Eye Dam. 1, H318
			Repr. 1B, H360D
			STOT RE 1, H372
			Aquatic Acute 1, H400 (M=100)
			Aquatic Chronic 1, H410



## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2-octyl-2H-isothiazol-3-one	CAS-No. 26530-20-1	0.001 - 0.01	Acute Tox. 2 (Inhalation), H330
	EC-No. 247-761-7		(ATE=0.27 mg/l)
	EC Index-No. 613-112-00-5		Acute Tox. 3 (Dermal), H311 (ATE=311
			mg/kg bodyweight)
			Acute Tox. 3 (Oral), H301 (ATE=125
			mg/kg bodyweight)
			Skin Corr. 1, H314
			Eye Dam. 1, H318
			Skin Sens. 1A, H317
			Aquatic Acute 1, H400 (M=100)
			Aquatic Chronic 1, H410 (M=100)
			EUH071
Mixture of 5-chloro-2-methylisothiazol-3(2H)-one and	CAS-No. 55965-84-9	0.0001 -	Acute Tox. 2 (Inhalation), H330
2-methylisothiazol-3(2H)-one	EC Index-No. 613-167-00-5	0.001	(ATE=0.05 mg/l/4h)
			Acute Tox. 2 (Dermal), H310 (ATE=50
			mg/kg bodyweight)
			Acute Tox. 3 (Oral), H301 (ATE=66
			mg/kg bodyweight)
			Skin Corr. 1C, H314
			Eye Dam. 1, H318
			Skin Sens. 1A, H317
			Aquatic Acute 1, H400 (M=100)
			Aquatic Chronic 1, H410 (M=100)
			EUH071

## Specific concentration limits:

Name	Product identifier	Specific concentration limits
1,2-Benzisothiazol-3(2H)-on	CAS-No. 2634-33-5	( 0.05 ≤C ≤ 100) Skin Sens. 1, H317
	EC-No. 220-120-9	
	EC Index-No. 613-088-00-6	
	REACH-no 01-2120761540-	
	60	
2-octyl-2H-isothiazol-3-one	CAS-No. 26530-20-1	( 0.0015 ≤C ≤ 100) Skin Sens. 1A, H317
	EC-No. 247-761-7	
	EC Index-No. 613-112-00-5	
Mixture of 5-chloro-2-methylisothiazol-3(2H)-one and	CAS-No. 55965-84-9	( 0.0015 ≤C ≤ 100) Skin Sens. 1A, H317
2-methylisothiazol-3(2H)-one	EC Index-No. 613-167-00-5	( 0.06 ≤C < 0.6) Eye Irrit. 2, H319
		( 0.06 ≤C < 0.6) Skin Irrit. 2, H315
		( 0.6 ≤C ≤ 100) Eye Dam. 1, H318
		( 0.6 ≤C ≤ 100) Skin Corr. 1C, H314

Full text of H- and EUH-statements: see section 16

## **SECTION 4 First aid measures**

Get
ccurs:
n on
edness
r



## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation May cause an allergic skin reaction. Symptoms/effects after skin contact May cause an allergic skin reaction.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5 Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire Carbon dioxide. Carbon monoxide.

#### 5.3. Advice for firefighters

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting Do not enter fire area without proper protective equipment, including respiratory protection.

#### SECTION 6 Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment Equip cleanup crew with proper protection.

Emergency procedures Ventilate area.

#### 6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

## 6.3. Methods and material for containment and cleaning up

Methods for cleaning up On land, sweep or shovel into suitable containers. Minimise generation of dust. Store away

from other materials.

#### 6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

### SECTION 7 Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid breathing dust/fume/gas/mist/vapours/spray. Obtain special instructions before use. Do not handle until all safety precautions have been read and

understood.

Hygiene measures Contaminated work clothing should not be allowed out of the workplace. Wash

contaminated clothing before reuse.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions Keep only in the original container in a cool, well ventilated place away from : Keep

container closed when not in use.

Incompatible products Strong bases. Strong acids.

28/04/2022 (Version: 11.0) GB - en 5/14



## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Incompatible materials Sources of ignition. Direct sunlight.

Storage temperature  $5-25~^{\circ}\text{C}$ 

#### 7.3. Specific end use(s)

No additional information available

## SECTION 8 Exposure controls/personal protection

#### 8.1. Control parameters

#### 8.1.1. National occupational exposure and biological limit values

Additional information The product has a pasty consistency. Exposure limit values for respirable dusts are not relevant for this product.

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

#### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

No additional information available

#### 8.2.2. Personal protection equipment

#### Personal protective equipment

Protective clothing. Safety glasses. Gloves. Avoid all unnecessary exposure.

#### Personal protective equipment symbol(s)







#### 8.2.2.1. Eye and face protection

## Eye protection

Chemical goggles or safety glasses

#### Eye protection:

Eye protection.			
Туре	Field of application	Characteristics	Standard
Safety glasses			EN 166, EN 170

#### 8.2.2.2. Skin protection

### Skin and body protection

Wear suitable protective clothing

#### Hand protection

Protective gloves. EN 374. Wear protective gloves.



## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR)	1 (> 10 minutes)	>0.4		EN ISO 374

#### 8.2.2.3. Respiratory protection

#### Respiratory protection

Wear appropriate mask

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

#### Other information

Do not eat, drink or smoke during use.

No additional information available

## **SECTION 9 Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state Solid Colour dark grey. Appearance Pasty. Molecular mass Not determined

Odour characteristic. Odour threshold Not determined Melting point Not applicable Not available Freezing point Boiling point Not available Non flammable. Flammability **Explosive limits** Not applicable Lower explosive limit (LEL) Not applicable Upper explosive limit (UEL) Not applicable Flash point Not applicable Auto-ignition temperature Not applicable Decomposition temperature Not available

pH solution Not available Viscosity, kinematic Not applicable Solubility Not available Partition coefficient n-octanol/water (Log Kow) Not available Not available Vapour pressure Vapour pressure at 50 °C Not available Density 1.4 g/cm<sup>3</sup> Not available Relative density Relative vapour density at 20 °C Not applicable Not available Particle size Particle size distribution Not available Particle shape Not available Particle aspect ratio Not available Particle aggregation state Not available Particle agglomeration state Not available Particle specific surface area Not available Particle dustiness Not available



## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

## SECTION 10 Stability and reactivity

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

## 10.2. Chemical stability

Not established.

#### 10.3. Possibility of hazardous reactions

Not established.

#### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

#### 10.5. Incompatible materials

Strong acids. Strong bases.

### 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

## **SECTION 11 Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)

Acute toxicity (dermal)

Acute toxicity (inhalation)

Not classified

Not classified

1,2-Benzisothiazol-3(2H)-on (2634-33-5)				
LD50 oral rat	490 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male / female,			
	Experimental value, Oral, 14 day(s))			
LD50 oral	670 mg/kg			
LD50 dermal rat	> 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female,			
	Experimental value, Dermal, 14 day(s))			
ATE CLP (oral)	490 mg/kg bodyweight			
2-octyl-2H-isothiazol-3-one (26530-20-1)				
LD50 oral rat	550 mg/kg (Rat, Literature study, Oral)			
LD50 oral	355 mg/kg			
LD50 dermal rabbit	690 mg/kg bodyweight (Rabbit, Literature study, Dermal)			
LD50 dermal	311 mg/kg			
LC50 Inhalation - Rat	> 2 mg/m³ (4 h, Rat, Literature study, Inhalation (vapours))			
LC50 Inhalation - Rat (Dust/Mist)	0.586 mg/l/4h			
ATE CLP (oral)	125 mg/kg bodyweight			
ATE CLP (dermal)	311 mg/kg bodyweight			
ATE CLP (dust,mist)	0.27 mg/l			
pyrithione zinc (13463-41-7)				
LD50 oral rat	177 mg/kg (Rat; OECD 401: Acute Oral Toxicity; Literature study; 269 mg/kg			
	bodyweight; Rat; Experimental value)			
LD50 dermal rat	> 2000 mg/kg (Rat; Experimental value)			
LC50 Inhalation - Rat	1 mg/l/4h (Rat; Literature study)			
ATE CLP (oral)	177 mg/kg bodyweight			



## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

ATE CLP (gases)   100 ppmv/4h ATE CLP (dust.mist)   1 mgil/4h  Zinc borate (138265-88-0)   1 mgil/4h  Zinc borate (138265-88-0)   1 mgil/4h  LD50 oral rat   5 5000 mg/kg obdyweight (FIFRA (40 CFR), Rat, Male / female, Experimental value of similar product, Oral, 14 day(s))   1 LD50 oral rat   5 5000 mg/kg obdyweight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Experimental value of similar product, Dermal, 14 day(s))   1 LD50 dermal rabbit   5 5000 mg/kg obdyweight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Experimental value of similar product, Dermal, 14 day(s))   1 LD50 dermal ratbit   5 mg/kg mg/kg bodyweight (OECD 401: Acute Oral Toxicity, 4 h, Rat, Male / female, Read-across, Inhalation (dust), 14 day(s)   4 day(s)   1 LD50 dermal rat   1 LD50 derm	pyrithione zinc (13463-41-7)	
ATE CLP (dust,mist)   1 mg/l/4h	ATE CLP (gases)	100 ppmv/4h
Zinc borate (138265-88-0)   South (158265-88-0)   South (1582655-88-0)   South (15826555-88-0)   South (158265555-88-0)   South (158265555-88-0)   South (158265555-88-0)   South (158265555-88-0)   South (158265555-88-0)   South (158265555-88-0)   South (1582655555-88-0)   South (1582655555555555555555555555555555555555	ATE CLP (vapours)	1 mg/l/4h
LD50 oral rat	ATE CLP (dust,mist)	1 mg/l/4h
similar product, Oral, 14 day(s))  LD50 dermal rabbit > 5000 mg/kg bodyweight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Experimental value of similar product, Dermal, 14 day(s))  LC50 Inhalation - Rat > 4.95 mg/l air (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Read-across, Inhalation (dusty), 14 day(s))  Mixture of 5-chloro-2-methylisothiazol-3(2H)-one and 2-methylisothiazol-3(2H)-one (55965-84-9)  LD50 oral rat   66 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Calculated by reference to active substance, Oral, 14 day(s))  LD50 dermal rat   > 141 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Dermal, 14 day(s))  ATE CLP (oral)   66 mg/kg bodyweight (DECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))  ATE CLP (dermal)   50 mg/kg bodyweight  ATE CLP (dermal)   50 mg/kg bodyweight  ATE CLP (dermal)   50 mg/kg bodyweight  ATE CLP (dust.mist)   0.05 mg/l/4h  Skin corrosion/irritation   Not classified pH 8.5  Additional information   Based on available data, the classification criteria are not met  Serious eye damage/irritation   Not classified pH 8.5  Additional information   Based on available data, the classification criteria are not met  Respiratory or skin sensitisation   May cause an allergic skin reaction.  Germ cell mutagenicity   Not classified Additional information   Based on available data, the classification criteria are not met  Additional information   Based on available data, the classification criteria are not met  Serious expected of damaging the unborn child.  STOT-repeated exposure   Not classified   Not clas	Zinc borate (138265-88-0)	
LD50 dermal rabbit	LD50 oral rat	> 5000 mg/kg bodyweight (FIFRA (40 CFR), Rat, Male / female, Experimental value of
female, Experimental value of similar product, Dermal, 14 day(s))   LC50 Inhalation - Rat   > 4.95 mg/l air (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Read-across, Inhalation (dust), 14 day(s))   Mixture of 5-chloro-2-methylisothiazol-3(2H)-one and 2-methylisothiazol-3(2H)-one (55965-84-9)   LD50 oral rat   66 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Calculated by reference to active substance, Oral, 14 day(s))   LD50 dermal rat   2-14 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))   ATE CLP (oral)   66 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))   ATE CLP (gases)   100 ppm/4h     ATE CLP (dust, mist)   50 mg/kg bodyweight     ATE CLP (dust, mist)   0.05 mg/l/4h     ATE CLP (dust, mist)   0.05 mg/l/4h     ATE CLP (dust, mist)   0.05 mg/l/4h     Additional information   Based on available data, the classification criteria are not met     Serious eye damage/irritation   Not classified   pH 8.5     Additional information   Based on available data, the classification criteria are not met     Respiratory or skin sensitisation   May cause an allergic skin reaction.     Germ cell mutagenicity   Not classified   Additional information   Based on available data, the classification criteria are not met     Additional information   Based on available data, the classification criteria are not met     Reproductive toxicity   Suspected of damaging the unborn child.     STOT-single exposure   Not classified   Additional information   Based on available data, the classification criteria are not met     STOT-single exposure   Not classified   Not classified   Additional information   Based on available data, the classification criteria are not met     STOT-repeated exposure   Not classified   Not classif		similar product, Oral, 14 day(s))
LC50 Inhalation - Rat	LD50 dermal rabbit	> 5000 mg/kg bodyweight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male /
across, Inhalation (dust), 14 day(s)		female, Experimental value of similar product, Dermal, 14 day(s))
Mixture of 5-chloro-2-methylisothiazol-3(2H)-one and 2-methylisothiazol-3(2H)-one (55965-84-9)   LD50 oral rat	LC50 Inhalation - Rat	> 4.95 mg/l air (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Read-
LD50 oral rat  66 mg/kg bodyweight (ÖECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Calculated by reference to active substance, Oral, 14 day(s))  LD50 dermal rat  2		across, Inhalation (dust), 14 day(s))
value, Calculated by reference to active substance, Oral, 14 day(s))  LD50 dermal rat  > 141 mg/kg bodyweight (DECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))  ATE CLP (oral)  66 mg/kg bodyweight  ATE CLP (dermal)  50 mg/kg bodyweight  ATE CLP (gases)  100 ppmv/4h  ATE CLP (dust,mist)  0.05 mg/l/4h  ATE CLP (dust,mist)  Not classified pH 8.5  Additional information  Serious eye damage/irritation  Additional information  Based on available data, the classification criteria are not met  Respiratory or skin sensitisation  Germ cell mutagenicity  Additional information  Based on available data, the classification criteria are not met  Carcinogenicity  Additional information  Based on available data, the classification criteria are not met  Carcinogenicity  Additional information  Based on available data, the classification criteria are not met  Carcinogenicity  Additional information  Based on available data, the classification criteria are not met  Carcinogenicity  Additional information  Based on available data, the classification criteria are not met  Carcinogenicity  Additional information  Based on available data, the classification criteria are not met  STOT-single exposure  Not classified  Additional information  Based on available data, the classification criteria are not met  STOT-repeated exposure  Not classified  Additional information  Based on available data, the classification criteria are not met  STOT-repeated exposure  Not classified  Additional information  Based on available data, the classification criteria are not met  STOT-repeated exposure  Not classified  Additional information  Causes damage to organs through prolonged or repeated exposure.  Aspiration hazard  Not classified	Mixture of 5-chloro-2-methylisothiazol-3(2H)-one	
LD50 dermal rat    Solution   State	LD50 oral rat	66 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental
Experimental value, Dermal, 14 day(s))  ATE CLP (oral)  66 mg/kg bodyweight  ATE CLP (dermal)  50 mg/kg bodyweight  ATE CLP (gases)  100 ppmv/4h  ATE CLP (vapours)  0.5 mg/l/4h  ATE CLP (dust,mist)  O.05 mg/l/4h  Skin corrosion/irritation  Not classified pH 8.5  Additional information  Serious eye damage/irritation  Additional information  Based on available data, the classification criteria are not met  Serious eye damage/irritation  Additional information  Based on available data, the classification criteria are not met  Respiratory or skin sensitisation  Germ cell mutagenicity  Additional information  Based on available data, the classification criteria are not met  Carcinogenicity  Additional information  Based on available data, the classification criteria are not met  Carcinogenicity  Additional information  Based on available data, the classification criteria are not met  Carcinogenicity  Additional information  Based on available data, the classification criteria are not met  Reproductive toxicity  Suspected of damaging the unborn child  STOT-single exposure  Not classified  Additional information  Based on available data, the classification criteria are not met  STOT-repeated exposure  Not classified  Additional information  Based on available data, the classification criteria are not met  STOT-repeated exposure  Not classified  Additional information  Based on available data, the classification criteria are not met  Pyrithione zinc (13463-41-7)  STOT-repeated exposure  Causes damage to organs through prolonged or repeated exposure.  Aspiration hazard		value, Calculated by reference to active substance, Oral, 14 day(s))
ATE CLP (oral)  ATE CLP (dermal)  ATE CLP (gases)  ATE CLP (yapours)  ATE CLP (wapours)  ATE CLP (dust,mist)  Not classified pH 8.5  Additional information  Based on available data, the classification criteria are not met  Not classified pH 8.5  Additional information  Based on available data, the classification criteria are not met  Respiratory or skin sensitisation  Germ cell mutagenicity  Additional information  Based on available data, the classification criteria are not met  Additional information  Based on available data, the classification criteria are not met  Additional information  Based on available data, the classification criteria are not met  Additional information  Based on available data, the classification criteria are not met  Sased on available data, the classification criteria are not met  Additional information  Based on available data, the classification criteria are not met  StoT-repeated exposure  Not classified  Additional information  Based on available data, the classification criteria are not met  StoT-repeated exposure  Not classified  Additional information  Based on available data, the classification criteria are not met  StoT-repeated exposure  Causes damage to organs through prolonged or repeated exposure.  Aspiration hazard  Not classified	LD50 dermal rat	> 141 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female,
ATE CLP (dermal)  ATE CLP (gases)  100 ppmv/4h  ATE CLP (vapours)  0.5 mg/l/4h  ATE CLP (dust,mist)  Not classified pH 8.5  Additional information  Based on available data, the classification criteria are not met  Serious eye damage/irritation  Additional information  Based on available data, the classification criteria are not met  Respiratory or skin sensitisation  May cause an allergic skin reaction.  Germ cell mutagenicity  Not classified  Additional information  Based on available data, the classification criteria are not met  Carcinogenicity  Not classified  Additional information  Based on available data, the classification criteria are not met  Carcinogenicity  Not classified  Reproductive toxicity  Suspected of damaging the unborn child  STOT-single exposure  Not classified  Additional information  Based on available data, the classification criteria are not met  STOT-repeated exposure  Not classified  Additional information  Based on available data, the classification criteria are not met  STOT-repeated exposure  Not classified  Additional information  Based on available data, the classification criteria are not met  CTOT-repeated exposure  Not classified  Additional information  Based on available data, the classification criteria are not met  CTOT-repeated exposure  Not classified  Additional information  Based on available data, the classification criteria are not met  Deprithione zinc (13463-41-7)  STOT-repeated exposure  Causes damage to organs through prolonged or repeated exposure.  Aspiration hazard		Experimental value, Dermal, 14 day(s))
ATE CLP (gases)  ATE CLP (vapours)  O.5 mg/l/4h  ATE CLP (dust,mist)  Not classified pH 8.5  Additional information  Based on available data, the classification criteria are not met  Serious eye damage/irritation  Additional information  Based on available data, the classification criteria are not met  Respiratory or skin sensitisation  Germ cell mutagenicity  Additional information  Based on available data, the classification criteria are not met  Additional information  Based on available data, the classification criteria are not met  Carcinogenicity  Additional information  Based on available data, the classification criteria are not met  Carcinogenicity  Not classified  Additional information  Based on available data, the classification criteria are not met  Reproductive toxicity  Suspected of damaging the unborn child  STOT-single exposure  Additional information  Based on available data, the classification criteria are not met  STOT-repeated exposure  Not classified  Additional information  Based on available data, the classification criteria are not met  STOT-repeated exposure  Additional information  Based on available data, the classification criteria are not met  STOT-repeated exposure  Causes damage to organs through prolonged or repeated exposure.  Aspiration hazard  Not classified	ATE CLP (oral)	66 mg/kg bodyweight
ATE CLP (vapours)  ATE CLP (dust,mist)  O.05 mg/l/4h  Skin corrosion/irritation  Not classified pH 8.5  Additional information  Based on available data, the classification criteria are not met  Serious eye damage/irritation  Not classified pH 8.5  Additional information  Based on available data, the classification criteria are not met  Respiratory or skin sensitisation  Germ cell mutagenicity  Not classified  Additional information  Based on available data, the classification criteria are not met  Carcinogenicity  Not classified  Additional information  Based on available data, the classification criteria are not met  Carcinogenicity  Not classified  Additional information  Based on available data, the classification criteria are not met  Reproductive toxicity  Suspected of damaging the unborn child  STOT-single exposure  Not classified  Additional information  Based on available data, the classification criteria are not met  STOT-repeated exposure  Not classified  Additional information  Based on available data, the classification criteria are not met  STOT-repeated exposure  Not classified  Additional information  Based on available data, the classification criteria are not met  Dyrithione zinc (13463-41-7)  STOT-repeated exposure  Causes damage to organs through prolonged or repeated exposure.  Aspiration hazard	ATE CLP (dermal)	50 mg/kg bodyweight
ATE CLP (dust,mist)  Skin corrosion/irritation  Not classified pH 8.5  Additional information  Based on available data, the classification criteria are not met  Not classified pH 8.5  Additional information  Additional information  Based on available data, the classification criteria are not met  Respiratory or skin sensitisation  May cause an allergic skin reaction.  Germ cell mutagenicity  Not classified  Additional information  Based on available data, the classification criteria are not met  Carcinogenicity  Not classified  Additional information  Based on available data, the classification criteria are not met  Reproductive toxicity  Suspected of damaging the unborn child  STOT-single exposure  Not classified  Additional information  Based on available data, the classification criteria are not met  STOT-repeated exposure  Not classified  Additional information  Based on available data, the classification criteria are not met  STOT-repeated exposure  Not classified  Additional information  Based on available data, the classification criteria are not met  Pyrithione zinc (13463-41-7)  STOT-repeated exposure  Causes damage to organs through prolonged or repeated exposure.  Aspiration hazard  Not classified	ATE CLP (gases)	100 ppmv/4h
Skin corrosion/irritation  Not classified pH 8.5  Additional information  Based on available data, the classification criteria are not met  Serious eye damage/irritation  Not classified pH 8.5  Additional information  Based on available data, the classification criteria are not met  Respiratory or skin sensitisation  May cause an allergic skin reaction.  Germ cell mutagenicity  Not classified  Additional information  Based on available data, the classification criteria are not met  Carcinogenicity  Not classified  Additional information  Based on available data, the classification criteria are not met  Reproductive toxicity  Suspected of damaging the unborn child  STOT-single exposure  Not classified  Additional information  Based on available data, the classification criteria are not met  STOT-repeated exposure  Not classified  Additional information  Based on available data, the classification criteria are not met  Dyrithione zinc (13463-41-7)  STOT-repeated exposure  Causes damage to organs through prolonged or repeated exposure.  Aspiration hazard  Not classified	ATE CLP (vapours)	0.5 mg/l/4h
Additional information Based on available data, the classification criteria are not met  Serious eye damage/irritation Not classified pH 8.5  Additional information Based on available data, the classification criteria are not met  Respiratory or skin sensitisation May cause an allergic skin reaction.  Germ cell mutagenicity Not classified Additional information Based on available data, the classification criteria are not met  Carcinogenicity Not classified Additional information Based on available data, the classification criteria are not met  Reproductive toxicity Suspected of damaging the unborn child  STOT-single exposure Additional information Based on available data, the classification criteria are not met  STOT-repeated exposure Additional information Based on available data, the classification criteria are not met  STOT-repeated exposure Additional information Based on available data, the classification criteria are not met  Pyrithione zinc (13463-41-7) STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure.  Aspiration hazard Not classified	ATE CLP (dust,mist)	0.05 mg/l/4h
Additional information  Based on available data, the classification criteria are not met  Not classified pH 8.5  Additional information  Based on available data, the classification criteria are not met  Respiratory or skin sensitisation  May cause an allergic skin reaction.  Germ cell mutagenicity  Not classified  Additional information  Based on available data, the classification criteria are not met  Carcinogenicity  Not classified  Additional information  Based on available data, the classification criteria are not met  Reproductive toxicity  Suspected of damaging the unborn child  STOT-single exposure  Additional information  Based on available data, the classification criteria are not met  STOT-repeated exposure  Additional information  Based on available data, the classification criteria are not met  STOT-repeated exposure  Additional information  Based on available data, the classification criteria are not met  Pyrithione zinc (13463-41-7)  STOT-repeated exposure  Causes damage to organs through prolonged or repeated exposure.  Aspiration hazard  Not classified	Skin corrosion/irritation	Not classified
Serious eye damage/irritation  Not classified pH 8.5  Additional information  Based on available data, the classification criteria are not met  Respiratory or skin sensitisation  May cause an allergic skin reaction.  Germ cell mutagenicity  Not classified  Additional information  Based on available data, the classification criteria are not met  Carcinogenicity  Not classified  Additional information  Based on available data, the classification criteria are not met  Reproductive toxicity  Suspected of damaging the unborn child  STOT-single exposure  Not classified  Additional information  Based on available data, the classification criteria are not met  STOT-repeated exposure  Not classified  Additional information  Based on available data, the classification criteria are not met  STOT-repeated exposure  Not classified  Additional information  Based on available data, the classification criteria are not met  Pyrithione zinc (13463-41-7)  STOT-repeated exposure  Causes damage to organs through prolonged or repeated exposure.  Aspiration hazard  Not classified		pH 8.5
Additional information Based on available data, the classification criteria are not met  Respiratory or skin sensitisation May cause an allergic skin reaction.  Germ cell mutagenicity Not classified  Additional information Based on available data, the classification criteria are not met  Carcinogenicity Not classified  Additional information Based on available data, the classification criteria are not met  Reproductive toxicity Suspected of damaging the unborn child  STOT-single exposure Not classified  Additional information Based on available data, the classification criteria are not met  STOT-repeated exposure Not classified  Additional information Based on available data, the classification criteria are not met  STOT-repeated exposure Additional information Based on available data, the classification criteria are not met  Pyrithione zinc (13463-41-7)  STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure.  Not classified	Additional information	Based on available data, the classification criteria are not met
Additional information  Respiratory or skin sensitisation  May cause an allergic skin reaction.  Germ cell mutagenicity  Additional information  Based on available data, the classification criteria are not met  Carcinogenicity  Additional information  Based on available data, the classification criteria are not met  Carcinogenicity  Additional information  Based on available data, the classification criteria are not met  Reproductive toxicity  Suspected of damaging the unborn child  STOT-single exposure  Additional information  Based on available data, the classification criteria are not met  STOT-repeated exposure  Additional information  Based on available data, the classification criteria are not met  STOT-repeated exposure  Additional information  Based on available data, the classification criteria are not met  Causes damage to organs through prolonged or repeated exposure.  Aspiration hazard  Not classified	Serious eye damage/irritation	Not classified
Respiratory or skin sensitisation Germ cell mutagenicity Additional information Carcinogenicity Additional information  Reproductive toxicity STOT-repeated exposure Additional information  May cause an allergic skin reaction.  Not classified Adata, the classification criteria are not met Respiratory or skin sensitisation Based on available data, the classification criteria are not met Suspected of damaging the unborn child  STOT-single exposure Additional information Based on available data, the classification criteria are not met  Not classified Additional information Based on available data, the classification criteria are not met  pyrithione zinc (13463-41-7) STOT-repeated exposure  Causes damage to organs through prolonged or repeated exposure.  Aspiration hazard  Not classified		pH 8.5
Germ cell mutagenicity Additional information Based on available data, the classification criteria are not met Carcinogenicity Additional information Based on available data, the classification criteria are not met Reproductive toxicity Suspected of damaging the unborn child STOT-single exposure Additional information Based on available data, the classification criteria are not met STOT-repeated exposure Additional information Based on available data, the classification criteria are not met STOT-repeated exposure Additional information Based on available data, the classification criteria are not met  Pyrithione zinc (13463-41-7) STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure.  Not classified	Additional information	•
Additional information  Carcinogenicity  Additional information  Based on available data, the classification criteria are not met  Not classified  Based on available data, the classification criteria are not met  Reproductive toxicity  Suspected of damaging the unborn child  STOT-single exposure  Additional information  Based on available data, the classification criteria are not met  STOT-repeated exposure  Additional information  Based on available data, the classification criteria are not met  Pyrithione zinc (13463-41-7)  STOT-repeated exposure  Causes damage to organs through prolonged or repeated exposure.  Aspiration hazard  Not classified	·	
Carcinogenicity Additional information Based on available data, the classification criteria are not met  Reproductive toxicity Suspected of damaging the unborn child  STOT-single exposure Additional information Based on available data, the classification criteria are not met  STOT-repeated exposure Additional information Based on available data, the classification criteria are not met  STOT-repeated exposure Additional information Based on available data, the classification criteria are not met  Pyrithione zinc (13463-41-7)  STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure.  Not classified		
Additional information  Reproductive toxicity  Suspected of damaging the unborn child  STOT-single exposure  Additional information  Based on available data, the classification criteria are not met  Not classified  Additional information  Based on available data, the classification criteria are not met  STOT-repeated exposure  Additional information  Based on available data, the classification criteria are not met  pyrithione zinc (13463-41-7)  STOT-repeated exposure  Causes damage to organs through prolonged or repeated exposure.  Aspiration hazard  Not classified	Additional information	
Reproductive toxicity Suspected of damaging the unborn child  STOT-single exposure Additional information Based on available data, the classification criteria are not met  STOT-repeated exposure Additional information Based on available data, the classification criteria are not met  pyrithione zinc (13463-41-7)  STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure.  Not classified	<i>5</i>	
STOT-single exposure Additional information Based on available data, the classification criteria are not met  STOT-repeated exposure Additional information Based on available data, the classification criteria are not met  pyrithione zinc (13463-41-7)  STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure.  Aspiration hazard Not classified	Additional information	Based on available data, the classification criteria are not met
Additional information  Based on available data, the classification criteria are not met  Not classified  Additional information  Based on available data, the classification criteria are not met  pyrithione zinc (13463-41-7)  STOT-repeated exposure  Causes damage to organs through prolonged or repeated exposure.  Aspiration hazard  Not classified	Reproductive toxicity	Suspected of damaging the unborn child
STOT-repeated exposure Additional information Based on available data, the classification criteria are not met  pyrithione zinc (13463-41-7) STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure.  Aspiration hazard Not classified	STOT-single exposure	Not classified
Additional information  Based on available data, the classification criteria are not met  pyrithione zinc (13463-41-7)  STOT-repeated exposure  Causes damage to organs through prolonged or repeated exposure.  Aspiration hazard  Not classified	Additional information	Based on available data, the classification criteria are not met
pyrithione zinc (13463-41-7)       STOT-repeated exposure     Causes damage to organs through prolonged or repeated exposure.       Aspiration hazard     Not classified	STOT-repeated exposure	Not classified
STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure.  Aspiration hazard Not classified	Additional information	Based on available data, the classification criteria are not met
Aspiration hazard Not classified		
· ·	STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.
Additional information Based on available data, the classification criteria are not met	Aspiration hazard	Not classified
	Additional information	Based on available data, the classification criteria are not met

#### 11.2. Information on other hazards

### 11.2.1. Endocrine disrupting properties

No additional information available

#### 11.2.2. Other information

Potential adverse human health effects and

symptoms

Based on available data, the classification criteria are not met

## **SECTION 12 Ecological information**

## 12.1. Toxicity

Ecology - water
Hazardous to the aquatic environment, short–term

Harmful to aquatic life with long lasting effects.

(acute)

onment, short-term Not classified

28/04/2022 (Version: 11.0) GB - en 9/14



## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Hazardous to the aquatic environment, long-term (chronic)

Harmful to aquatic life with long lasting effects.

(chronic)	
-----------	--

1,2-Benzisothiazol-3(2H)-on (2634-33-5)		
LC50 - Fish [1]	2.18 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Static	
	system, Experimental value, Nominal concentration)	
2-octyl-2H-isothiazol-3-one (26530-20-1)		
LC50 - Fish [1]	0.14 mg/l (96 h, Pimephales promelas, Literature study)	
LC50 - Fish [2]	0.05 mg/l (96 h, Oncorhynchus mykiss, Literature study)	
EC50 - Crustacea [1]	0.18 mg/l (48 h, Daphnia magna, Literature study)	
EC50 - Crustacea [2]	0.32 mg/l (48 h, Daphnia magna, Literature study)	
NOEC chronic fish	0.012 mg/l	
pyrithione zinc (13463-41-7)		
LC50 - Fish [1]	2.6 μg/l (96 h; Pimephales promelas; GLP)	
LC50 - Fish [2]	0.4 mg/l (96 h; Cyprinodon variegatus; GLP)	
EC50 - Crustacea [1]	0.05 mg/l (48 h; Daphnia magna; GLP)	
EC50 - Crustacea [2]	8.2 μg/l (96 h; Daphnia magna; GLP)	
Threshold limit - Algae [1]	0.067 mg/l (Selenastrum capricornutum)	
Threshold limit - Algae [2]	2.4 μg/l (120 h; GLP)	
Zinc borate (138265-88-0)		
LC50 - Fish [1]	169 μg/l (ASTM E729-88, 96 h, Oncorhynchus mykiss, Static system, Fresh water,	
	Read-across)	
EC50 - Crustacea [1]	155 – 413 μg/l (US EPA, 48 h, Ceriodaphnia dubia, Static system, Fresh water, Read-	
	across)	
Mixture of 5-chloro-2-methylisothiazol-3(2H)-one and 2-methylisothiazol-3(2H)-one (55965-84-9)		
EC50 - Crustacea [1]	0.007 mg/l (48 h, Acartia tonsa, Salt water, Experimental value, GLP)	

## 12.2. Persistence and degradability

CFS-IS / CP 611A		
Persistence and degradability May cause long-term adverse effects in the environment.		
1,2-Benzisothiazol-3(2H)-on (2634-33-5)		
Persistence and degradability  Not readily biodegradable in water.		
2-octyl-2H-isothiazol-3-one (26530-20-1)		
Persistence and degradability	Inherently biodegradable.	
pyrithione zinc (13463-41-7)		
Persistence and degradability	Biodegradable in water. No (test)data on mobility of the substance available.	
Zinc borate (138265-88-0)		
Persistence and degradability	Biodegradability: not applicable.	
Chemical oxygen demand (COD)	Not applicable	
ThOD	Not applicable	
BOD (% of ThOD)	Not applicable	
Mixture of 5-chloro-2-methylisothiazol-3(2H)-one and 2-methylisothiazol-3(2H)-one (55965-84-9)		
Persistence and degradability  Not readily biodegradable in water.		

## 12.3. Bioaccumulative potential

CFS-IS / CP 611A		
Bioaccumulative potential	Not established.	
1,2-Benzisothiazol-3(2H)-on (2634-33-5)		
BCF - Fish [1]	6.62 (Equivalent or similar to OECD 305, 56 day(s), Lepomis macrochirus, Experimental value, Fresh weight)	
Partition coefficient n-octanol/water (Log Pow)	-0.9 – 0.99 (Experimental value, EU Method A.8: Partition Coefficient, 20 °C)	
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).	
2-octyl-2H-isothiazol-3-one (26530-20-1)		
BCF - Fish [1]	1280 (67 day(s), Lepomis macrochirus, Flow-through system, Literature study)	
Partition coefficient n-octanol/water (Log Pow)	2.45 (Experimental value)	
Bioaccumulative potential	Potential for bioaccumulation (500 ≤ BCF ≤ 5000).	



## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

pyrithione zinc (13463-41-7)		
BCF - Other aquatic organisms [1]	7.87 – 11 (30 days; Crassostrea sp.)	
Partition coefficient n-octanol/water (Log Pow)	0.9 (Experimental value; OECD 107: Partition Coefficient (n-octanol/water): Shake Flask	
	Method; 25 °C)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	
Zinc borate (138265-88-0)		
BCF - Fish [1]	116 – 60960 (21 day(s), Semi-static system, Marine water, Read-across, Fresh weight)	
Bioaccumulative potential	High potential for bioaccumulation (BCF > 5000).	
Mixture of 5-chloro-2-methylisothiazol-3(2H)-one and 2-methylisothiazol-3(2H)-one (55965-84-9)		
BCF - Fish [1]	41 – 54 (OECD 305: Bioconcentration: Flow-Through Fish Test, 28 day(s), Lepomis	
	macrochirus, Flow-through system, Fresh water, Experimental value, Fresh weight)	
Partition coefficient n-octanol/water (Log Pow)	0.75 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake	
	Flask Method, 24 °C)	
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).	

## 12.4. Mobility in soil

1,2-Benzisothiazol-3(2H)-on (2634-33-5)		
Surface tension	72.6 mN/m (20 °C, 0.1 %, EU Method A.5: Surface tension)	
Organic Carbon Normalized Adsorption Coefficient 0.97 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on		
(Log Koc)	Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental	
	value, GLP)	
Ecology - soil	Highly mobile in soil.	
2-octyl-2H-isothiazol-3-one (26530-20-1)		
Ecology - soil	No (test)data on mobility of the substance available.	
pyrithione zinc (13463-41-7)		
Surface tension	0.073 N/m (20 °C; 7220 μg/l)	
Zinc borate (138265-88-0)		
Surface tension	Data waiving	
Ecology - soil	Adsorbs into the soil.	
Mixture of 5-chloro-2-methylisothiazol-3(2H)-one and 2-methylisothiazol-3(2H)-one (55965-84-9)		
Surface tension	No data available in the literature	
Organic Carbon Normalized Adsorption Coefficient	0.81 – 1 (log Koc, Calculated value)	
(Log Koc)		
Ecology - soil	Highly mobile in soil.	

### 12.5. Results of PBT and vPvB assessment

CFS-IS / CP 611A		
This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII		
This substance/mixture does not meet the vPvB criteria	a of REACH regulation, annex XIII	
Component		
Zinc borate (138265-88-0)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII	
	This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
polypropylene glycol alkyl phenyl ether (9064-13-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII	
	This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
1,2-Benzisothiazol-3(2H)-on (2634-33-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII	
	This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
pyrithione zinc (13463-41-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII	
	This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
2-octyl-2H-isothiazol-3-one (26530-20-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII	
	This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
Mixture of 5-chloro-2-methylisothiazol-3(2H)-one and	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII	
2-methylisothiazol-3(2H)-one (55965-84-9)	This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	

### 12.6. Endocrine disrupting properties

No additional information available



## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### 12.7. Other adverse effects

Additional information Avoid release to the environment.

### **SECTION 13 Disposal considerations**

#### 13.1. Waste treatment methods

Waste treatment methods Dispose in a safe manner in accordance with local/national regulations.

Product/Packaging disposal recommendations Dispose in a safe manner in accordance with local/national regulations. Dispose of

contents/container to hazardous or special waste collection point, in accordance with local,

regional, national and/or international regulation.

Ecology - waste materials Avoid release to the environment.

European List of Waste (LoW) code 08 04 10 - waste adhesives and sealants other than those mentioned in 08 04 09

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / RID /

ADR	IMDG	IATA	RID
14.1. UN number or ID number			
Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping name			
Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)	<u></u>		
Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group			
Not applicable	Not applicable Not applicable		Not applicable
14.5. Environmental hazards			
Dangerous for the environment: No		Dangerous for the environment: No	Dangerous for the environment: No
No supplementary information avail	able	1	

### 14.6. Special precautions for user

#### **Overland transport**

No data available

#### Transport by sea

No data available

#### Air transport

No data available

#### Rail transport

No data available

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable



## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

## **SECTION 15 Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

#### 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

### **SECTION 16 Other information**

Indication of changes:

Section	Changed item	Change	Comments
		Modified	contains, new annex II

Data sources REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and

amending Regulation (EC) No 1907/2006.

Other information None.

Full text of H- and EUH-s	tatements:		
Acute Tox. 2 (Dermal)	Acute toxicity (dermal), Category 2		
Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2		
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3		
Acute Tox. 3	Acute toxicity (inhalation:dust,mist) Category 3		
(Inhalation:dust,mist)			
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4		
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1		
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1		
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2		
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3		
EUH071	Corrosive to the respiratory tract.		
Eye Dam. 1	Serious eye damage/eye irritation, Category 1		
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2		
H301	Toxic if swallowed.		
H302	Harmful if swallowed.		
H310	Fatal in contact with skin.		
H311	Toxic in contact with skin.		
H314	Causes severe skin burns and eye damage.		
H315	Causes skin irritation.		
H317	May cause an allergic skin reaction.		
H318	Causes serious eye damage.		
H319	Causes serious eye irritation.		
H330	Fatal if inhaled.		
H331	Toxic if inhaled.		



## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of H- and EUH-statements:			
H360D	May damage the unborn child.		
H361	Suspected of damaging fertility or the unborn child.		
H361d	Suspected of damaging the unborn child.		
H372	Causes damage to organs through prolonged or repeated exposure.		
H400	Very toxic to aquatic life.		
H410	Very toxic to aquatic life with long lasting effects.		
H411	Toxic to aquatic life with long lasting effects.		
H412	Harmful to aquatic life with long lasting effects.		
Repr. 1B	Reproductive toxicity, Category 1B		
Repr. 2	Reproductive toxicity, Category 2		
Skin Corr. 1	Skin corrosion/irritation, Category 1		
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C		
Skin Irrit. 2	Skin corrosion/irritation, Category 2		
Skin Sens. 1	Skin sensitisation, Category 1		
Skin Sens. 1A	Skin sensitisation, category 1A		
Skin Sens. 1B	Skin sensitisation, category 1B		
STOT RE 1	Specific target organ toxicity – Repeated exposure, Category 1		

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]			
Skin Sens. 1	Skin Sens. 1 H317 Calculation method		
Repr. 2	H361	Calculation method	
Aquatic Chronic 3	H412	Calculation method	

SDS\_EU\_Hilti

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.