

Kitemark™ Certificate

This is to certify that:

Olympia Electronics
N. Lakasas - P. Arvanitidis S.A.
72nd klm Old Highway
Thessaloniki Katerini
Eginio, Pieria
P.C 60300
Greece

Holds Certificate Number:

KM 640081

In respect of:

BS EN 60598-2-22
Emergency luminaires

This issues the right and licence to use the Kitemark in accordance with the Kitemark Terms and Conditions governing the use of the Kitemark, as may be updated from time to time by BSI Assurance UK Ltd (the "Conditions"). All defined terms in this Certificate shall have the same meaning as in the Conditions.

The use of the Kitemark is authorized in respect of the Product(s) detailed on this Certificate provided at or from the above address.

For and on behalf of BSI:

Shahm Barhom, Group Product Certification Director

First Issued: 2016-01-14

Effective Date: 2023-06-21

Latest Issue: 2023-06-21

Expiry Date: 2025-01-18



Page: 1 of 41

Kitemark™ Certificate

No. KM 640081

Emergency Luminaires to BS EN 60598-2-22:2014 and BS EN 60598-1:2015.

GR range of emergency luminaires

Rated 220-240V AC/50-60Hz Class II

BSI Test Report reference 8408551.

Model	Rating	Duration	IP	Assembly type
GR-310/30L/A	220-240 V Class II 50/60 Hz	1.5 hours	IP40	Ceiling/Wall/Suspension mounted. Emergency/exit luminaire.
GR-312/30L/A	220-240 V Class II 50/60 Hz	3 hours	IP40	Ceiling/Wall/Suspension mounted. Emergency/exit luminaire.
GR-310/15L/A	220-240 V Class II 50/60 Hz	1.5 hours	IP40	Ceiling/Wall/Suspension mounted. Emergency/exit luminaire.
GR-312/15L/A	220-240 V Class II 50/60 Hz	3 hours	IP40	Ceiling/Wall/Suspension mounted. Emergency/exit luminaire.
GR-312/LS/A	220-240 V Class II 50/60 Hz	3 hours	IP40	Ceiling/Wall/Suspension mounted. Emergency/exit luminaire.
GR-1936/30L	220-240 V Class II 50/60 Hz	3 hours	IP65	Ceiling/Wall mounted. Emergency luminaire.
GR-1936/15L	220-240 V Class II 50/60 Hz	3 hours	IP65	Ceiling/Wall mounted. Emergency luminaire.
GR-1935/30L	220-240 V Class II 50/60 Hz	1.5 hours	IP65	Ceiling/Wall mounted. Emergency luminaire.
GR-1935/15L	220-240 V Class II 50/60 Hz	1.5 hours	IP65	Ceiling/Wall mounted. Emergency luminaire.
GR-1310/30L	220-240 V Class II 50/60 Hz	1.5 hours	IP40	Ceiling/Wall/Suspension mounted. Emergency/exit luminaire.
GR-1310/15L	220-240 V Class II 50/60 Hz	1.5 hours	IP40	Ceiling/Wall/Suspension mounted. Emergency/exit luminaire.

First Issued: 2016-01-14

Latest Issue: 2023-06-21

Effective Date: 2023-06-21

Expiry Date: 2025-01-18

Page: 12 of 41

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

Kitemark™ Certificate

No. KM 640081

Emergency Luminaires to BS EN 60598-2-22:2014 and BS EN 60598-1:2015.

GR range of emergency luminaires

Rated 220-240V AC/50-60Hz Class II

BSI Test Report reference 8408551.

Model	Rating	Duration	IP	Assembly type
FRN GR-310/30L/A	220-240 V Class II 50/60 Hz	1.5 hours	IP40	Ceiling/Wall/Suspension mounted. Emergency/exit luminaire.
FRN GR-312/30L/A	220-240 V Class II 50/60 Hz	3 hours	IP40	Ceiling/Wall/Suspension mounted. Emergency/exit luminaire.
FRN GR-310/15L/A	220-240 V Class II 50/60 Hz	1.5 hours	IP40	Ceiling/Wall/Suspension mounted. Emergency/exit luminaire.
FRN GR-312/15L/A	220-240 V Class II 50/60 Hz	3 hours	IP40	Ceiling/Wall/Suspension mounted. Emergency/exit luminaire.
FRN GR-312/LS/A	220-240 V Class II 50/60 Hz	3 hours	IP40	Ceiling/Wall/Suspension mounted. Emergency/exit luminaire.
FRN GR-1936/30L	220-240 V Class II 50/60 Hz	3 hours	IP65	Ceiling/Wall mounted. Emergency luminaire.
FRN GR-1936/15L	220-240 V Class II 50/60 Hz	3 hours	IP65	Ceiling/Wall mounted. Emergency luminaire.
FRN GR-1935/30L	220-240 V Class II 50/60 Hz	1.5 hours	IP65	Ceiling/Wall mounted. Emergency luminaire.
FRN GR-1935/15L	220-240 V Class II 50/60 Hz	1.5 hours	IP65	Ceiling/Wall mounted. Emergency luminaire.
FRN GR-1310/30L	220-240 V Class II 50/60 Hz	1.5 hours	IP40	Ceiling/Wall/Suspension mounted. Emergency/exit luminaire.
FRN GR-1310/15L	220-240 V Class II 50/60 Hz	1.5 hours	IP40	Ceiling/Wall/Suspension mounted. Emergency/exit luminaire.

First Issued: 2016-01-14

Latest Issue: 2023-06-21

Effective Date: 2023-06-21

Expiry Date: 2025-01-18

Page: 32 of 41

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).